

🖪 🏎 🕲 🐟 🕫

A Naotic solution for all sectors of activity concerned by digitalisation



High-performance charging technology for all devices

Tabipower, fast and intelligent USB charging

gives you access to USB technologies for today's and tomorrow's devices:

- No more need for the device's charger
- Dual USB-C / USB-A connectors
- 2 charging protocols : Power Delivery and Quick Charge



No compatibility

issues with dual

USB connectors

Automatically





lifespan

USED MATERIALS:

- For Tabibox FS1:
 - Structure in particle board / metal
 - Epoxy-painted metallic hatch
- For Tabisafe S: Epoxy-painted steel sheet structure

charge and protect

all your devices

• Colours: Black / Copper / Light Grey

Solution equipment

- For Tabibox FS1:
 - Adjustable and modular individual dividers
 - Secured by locks with fixed code and pass key
- For Tabisafe S and S30:
 - 10 or 30 individual lockers for charging mobile devices
 - 4 legs with height and level adjustment
 - Secured by locks with fixed or free code and pass key.
- For Tabisafe S30:
 - Global opening system for all lockers and the technical area
- For the 2 solutions:
 - Hosting, individual guiding and quick-connecting system for cables
 - Central charging system for mobile devices
 - On/off master switch with indicator light
 - Ventilation system through natural convection
 - 3 m angled power cable.

DIMENSIONS (Ldh):

Tabibox FS1 Outside: 399 x 242 x 824 mm **Weight:** 30 kg Tabisafe S Outside: 324 x 237 x 668 mm Weight: 18 5 kg

140 x 235 x 60 mm

Tabisafe S30 Outside: 510 x 267 x 1033 mm **Weight:** 40 kg

Device maximum size: 20 x 200 x 110 mm

Weight: 18.5 kg Locker inside dimensions:

Locker inside dimensions: 140 x 235 x 60 mm







A Naotic solution for all sectors of activity concerned by digitalisation

www.naotic.fr - contact@naotic.fr

© Naotic 2024 – Document and photos are not binding All rights reserved